

Quick Clean

Best Tile and Grout Cleaner on the Market!

- Great for Masonry, Pavers, Concrete and all Honed Natural Stone with Efflorescence
- Not for Use on Polished Stone Containing Calcium
- Great for Polished Granite
- Concentrated

STONE PRO

866.786.6310

www.stoneproonline.com



Product Description: This tile and grout cleaner is designed to remove and suspend soil from ceramic tile and grout. Contains hydrofluoric acidic properties.

Coverage: Product will cover approximately 200 to 2,000 ft.² per gallon dependant on the porosity of stone or contaminated tile and grout.

Directions: For best results, use Stone Pro's Formula 51 stripper before applying Quick Clean. Always test product in an inconspicuous area to test suitability for intended use. Wet surface. Apply premixed Quick Clean to soiled area. Agitate and let dwell for 5 to 10 minutes. Rinse and repeat as needed dependant on soil and stains.

Caution: Hydrochloric cleaning properties. Danger if swallowed. May be irritable to skin. Safety equipment suggested. Hand, eye and chemical resistant gloves should always be used when working with cleaning chemicals.

SECTION I - PRODUCT IDENTIFICATION

TRADE NAME: Stone Pro Quick Clean PRODUCT CODE: SPQC
 CHEMICAL NAME: Acrylic blend CAS #: Blend, no single CAS # applies
 DOT HAZARD CLASS: NA 1760 DATE: February 19, 2005
 DOT SHIPPING NAME: Quart: ORM-D Gallon: NA1760

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	CAS #	TLV (UNITS)	PEL
Hydrochloric Acid	7647010	5 PPM	5 PPM

SECTION III - PHYSICAL DATA

BOILING POINT: (F) 212 SOLUBILITY: Complete pH: <1
 VOC: 30 g/L VAPOR DENSITY: N/A VAPOR PRESSURE: N/A
 EVAPORATION RATE (WATER = 1); >1 SPECIFIC GRAVITY: 1.1
 APPEARANCE & ODOR: Colorless liquid with acrid odor.

SECTION IV - FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT: N/A
 FLAMMABLE LIMITS: N/A LOWER: N/A UPPER: N/A
 FIRE/EXPLOSION HAZARDS: None
 EXTINGUISHING MEDIA: Foam, CO₂, dry chemical
 FIRE FIGHTING PROCEDURES: Fire fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

SECTION V - HEALTH HAZARD INFORMATION

PERMISSIBLE EXPOSURE LEVEL: ND
 EYES: Will cause irritation and redness.
 SKIN: Severe irritation.
 INHALATION: Inhalation of mist may cause respiratory irritation.
 INGESTION: Will cause severe gastrointestinal irritation.
 THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA
 HMIS HAZARD CLASS: Health = 2 Flammability = 0 Reactivity = 0 Other = NA
 Ranking: 0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme

FIRST AID

EYE CONTACT: Flush with water for 15 minutes lifting eyelids. Get medical attention immediately
 SKIN CONTACT: Wash with water and treat with any moisturizing cream.
 INHALATION: Remove victim to fresh air. Administer artificial respiration if breathing ceases. Get medical attention immediately.
 INGESTION: Do not induce vomiting. Give lots of water. Give milk of magnesia. Call a physician.

SECTION VI - REACTIVITY INFORMATION

STABILITY: Stable
 REACTIVITY: None will occur
 HAZARDOUS DECOMPOSITION INGREDIENTS: N/A
 HAZARDOUS POLYMERIZATION: Will not occur

SECTION VII - SPILL, LEAK AND DISPOSAL PROCEDURES

Quick Clean

SMALL SPILLS: Mop, sweep or absorb. Transport to non-hazardous land fill.

LARGE SPILLS: Mop, sweep, or absorb. Transport to non-hazardous land fill.

DISPOSAL: Dispose of in accordance with federal, state, and local regulations.

SECTION VIII - SPECIAL PROTECTIVE EQUIPMENT

EYE AND FACIAL: Wear chemical splash goggles.

SKIN: Vinyl, rubber, or nitrile gloves should be used.

RESPIRATORY: Provide OSHA approved mists respirator.

VENTILATION: Local mechanical ventilation to keep TLV'S below recommended levels.

OTHER: Wear protective apron, boots, and clothing.

SECTION IX - SPECIAL PRECAUTIONS

STORAGE: Store in cool dry well ventilated place

HANDLING: Do not mix with other chemicals.

LEGEND: ND, Not Determined; N/A Not Applicable; NA, Not Available.

NOTICE

All information appearing herein is based upon data obtained from chemical manufacturers and or recognized technical sources. While the information is believed to be accurate, Snyder Manufacturing Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Snyder Manufacturing Corporation's control and therefore users are responsible for and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process